

## TWO STROKE FORMULA CONCENTRATE

### Description

Triboron is a unique, patented technology for reducing mechanical friction.

The Triboron Technology interacts with the metal surfaces and forms a tribo-film layer that reduces friction coefficient with up to 50% and protects mechanical parts from wear.

In addition to sustainable fuel savings of up to 10%, Triboron also reduces harmful emissions of carbon monoxide CO and hydrocarbons HC with up to 25%.

Verified results in real-life and laboratory tests. The Boron compounds and the substances used in the production process are harmless for nature.

### Properties

- Keeps the injection system clean, maintaining efficacy and emission control.
- Prevents buildup of carbon deposits from the intake valves and in the combustion chamber.
- Reduces pollutant emissions and soot.
- Reduced fuel consumption.
- Wear & corrosion resistance.

Technical Data	
Odor	Petroleum
Color	Bright Yellow
Appearance	Liquid
Relative density	0,8 g/cm <sup>3</sup>
Flashpoint	> 76 °C

### Areas of application

**Usage:** To be mixed with petrol for use in all types of 2 stroke engines powered with petrol.

### Handling

**Mixture procedure:** Half oil content recommended by engine producer (i.e. 1:100 when 2% is recommended).

**Interval:** Each refueling.

**Given information is based on thorough research and third part testing.**

Patent protected.



Produced according to